



NATIONAL ADHESIVE DISTRIBUTORS

CK 2000/063562/23 VAT No.: 4370194633

Head Office:
Phone: (031) 464 0273
93 Goodwood Road
Mahogany Ridge
Durban, 3608

Fax: (031) 464 0107
PO Box 28089
Malvern
4055

JHB Branch:
Phone: (011) 021 4177
Unit 6, Hambleton Park
98 Richards Drive, Halfway House
Midrand, JHB, 1686

CPT Branch:
Phone: (021) 801 4258
Unit B19, Icon Park
Fourie Street, Brackenfell
Cape, 7560

Fax: 086 544 8866/
086 544 8877
PO Box 8599
Halfway House
Midrand, 1685

Fax: 086 547 5373/
086 527 1045
PO Box 761
Brackenfell
7561

Virginia, USA:
Phone: (+1) 571 340 4478
8280 Willow Oaks
Corporate Drive
Suite 600
Fairfax, VA, 22031

MATERIAL SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION

PRODUCT NAME: **GLUEDEVIL CLEAR MARINE SILICONE SEALER**
PRODUCT: **SILICONE**
COLOUR: **CLEAR**

2. COMPOSITION / INFORMATION ON INGREDIENTS:

>>PREPARATION

Chemical nature: Blend based on:
Crosslinkerhous silicalmethysiloxanes, amorphous silica and crosslinker.

Components presenting hazards: Alkyltriacetoxysilanes (CAS: 4253-34-3 & 17689-77-9) :<5% - EEC
Classification: C – R34
Tributyltin Benzoate (CAS: 4342-36-3): 0.25% - EEC
Classification: T: R21-25-36/38-48/23/25.
C15-19 Alkane (CAS: 64742-46-7) :<25% - EEC
Classification Xn –R65

>>Further information: During use, acetic acid is released (CAS: 64-19-7)

3. HAZARDS IDENTIFICATION:

MOST IMPORTANT HAZARDS

Adverse human health effects: Slightly irritating to eyes, respiratory system and skin.
Environmental effects: Presents no particular risk to the environment, provided the disposal



NATIONAL ADHESIVE DISTRIBUTORS

CK 2000/063562/23 VAT No.: 4370194633

Head Office: Phone: (031) 464 0273
93 Goodwood Road
Mahogany Ridge
Durban, 3608
Fax: (031) 464 0107
PO Box 28089
Malvern
4055

JHB Branch: Phone: (011) 021 4177
Unit 6, Hambleton Park
98 Richards Drive, Halfway House
Midrand, JHB, 1686

CPT Branch: Phone: (021) 801 4258
Unit B19, Icon Park
Fourie Street, Brackenfell
Cape, 7560

Fax: 086 544 8866/
086 544 8877
PO Box 8599
Halfway House
Midrand, 1685

Fax: 086 547 5373/
086 527 1045
PO Box 761
Brackenfell
7561

Virginia, USA: Phone: (+1) 571 340 4478
8280 Willow Oaks
Corporate Drive
Suite 600
Fairfax, VA, 22031

requirements (see section 13) and national or local regulations are complied with.

Physical and chemical hazards

- Fire or explosion
- Further hazards

Combustible.
on contact with humidity:
irritating vapours are released.

Classification / Specific hazards

According to EEC criteria, this product is not classified as a "hazardous preparation".

Further information

After drying, may stick to the skin.

4. FIRST -AID MEASURES:

Inhalation

Move to the fresh air.
If irritation persists, consult a doctor.

Skin contact

Wipe off as much as possible (use a clean, soft, absorbent material).
Wash immediately with plenty of soap and water.

Eye contact

Immediately rinse with water for a prolonged period whilst keeping the eyes wide open.
If irritation persists, consult an eye specialist.

Ingestion

Consult a doctor if necessary.

5. FIRE – FIGHTING MEASURES:

Extinguishing media

-Suitable

- Carbon dioxide (CO2)
- Foam.
- Powders.
- Water spray.



NATIONAL ADHESIVE DISTRIBUTORS

CK 2000/063562/23 VAT No.: 4370194633

Head Office: Phone: (031) 464 0273
93 Goodwood Road
Mahogany Ridge
Durban, 3608

Fax: (031) 464 0107
PO Box 28089
Malvern
4055

JHB Branch: Phone: (011) 021 4177
Unit 6, Hambleton Park
98 Richards Drive, Halfway House
Midrand, JHB, 1686

CPT Branch: Phone: (021) 801 4258
Unit B19, Icon Park
Fourie Street, Brackenfell
Cape, 7560

Fax: 086 544 8866/
086 544 8877
PO Box 8599
Halfway House
Midrand, 1685

Fax: 086 547 5373/
086 527 1045
PO Box 761
Brackenfell
7561

Virginia, USA: Phone: (+1) 571 340 4478
8280 Willow Oaks
Corporate Drive
Suite 600
Fairfax, VA, 22031

Not Suitable

None to our knowledge. If there is a fire close by, use suitable extinguishing agents.

Specific hazards

Combustible.
For further information, refer to section 10: "Stability and Reactivity".

Specific fire-fighting methods

Cool down the containers / equipment exposed to heat with a water spray.

Protection of fire fighters

Self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES:

Personal precautions

Avoid contact with skin and eyes.
Do not breathe vapours.
Protective equipment:
For further information refer to section 8 "Exposure-controls / personal protection".
Mechanically ventilate the spillage area.

Environmental precautions

This product does not present any particular risk for the environment.

Methods for cleaning up

-Recovery

Recover the product by scrapping with a spatula or a similar instrument.
Collect up the product and place it in a spare container: - suitability labelled.
-tightly closed.

Neutralization

Absorb residues with:
-inert absorbent material.

-Cleaning / Decontamination

Decontaminate and wash the floor with:



NATIONAL ADHESIVE DISTRIBUTORS

CK 2000/063562/23 VAT No.: 4370194633

Head Office: Phone: (031) 464 0273
93 Goodwood Road
Mahogany Ridge
Durban, 3608
Fax: (031) 464 0107
PO Box 28089
Malvern
4055

JHB Branch: Phone: (011) 021 4177
Unit 6, Hambleton Park
98 Richards Drive, Halfway House
Midrand, JHB, 1686

CPT Branch: Phone: (021) 801 4258
Unit B19, Icon Park
Fourie Street, Brackenfell
Cape, 7560

Fax: 086 544 8866/
086 544 8877
PO Box 8599
Halfway House
Midrand, 1685

Fax: 086 547 5373/
086 527 1045
PO Box 761
Brackenfell
7561

Virginia, USA: Phone: (+1) 571 340 4478
8280 Willow Oaks
Corporate Drive
Suite 600
Fairfax, VA, 22031

-an appropriate solvent. (cf.: §
9) then wash with plenty of
water.

for disposal of solid materials refer to section 13 “Disposable
considerations”.

-Disposal

7. HANDLING AND STORAGE:

HANDLING

Technical measures

Ventilation.

Measures

Do not exceed the occupational exposure limits (OEL).

Safe handling advice

Comply with instructions for use (refer to technical sheet).

Work outside or in a well-ventilated room.

STORAGE

Technical measures

Does not require any specific or particular technical measures.

Storage conditions

-Recommended

Keep:

- only in the original container
- the container tightly closed and dry.

Incompatible products

Strong oxidizing agents.

Packaging

-Polyethylene liner in a metal drum varnished with epikote

Packaging materials

-Recommended

Polyethylene
coated metals.

Further information

the product polymerises on contact with air.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Engineering measures

Ensure good ventilation of the work station

Control parameters



NATIONAL ADHESIVE DISTRIBUTORS

CK 2000/063562/23 VAT No.: 4370194633

Head Office: Phone: (031) 464 0273
93 Goodwood Road
Mahogany Ridge
Durban, 3608

Fax: (031) 464 0107
PO Box 28089
Malvern
4055

JHB Branch: Phone: (011) 021 4177
Unit 6, Hambleton Park
98 Richards Drive, Halfway House
Midrand, JHB, 1686

CPT Branch: Phone: (021) 801 4258
Unit B19, Icon Park
Fourie Street, Brackenfell
Cape, 7560

Fax: 086 544 8866/
086 544 8877
PO Box 8599
Halfway House
Midrand, 1685

Fax: 086 547 5373/
086 527 1045
PO Box 761
Brackenfell
7561

Virginia, USA:
Phone: (+1) 571 340 4478
8280 Willow Oaks
Corporate Drive
Suite 600
Fairfax, VA, 22031

Occupational exposure limits

- limits (France) Acetic acid: VLE: 25mg/m³ (10ppm)
- limits (U.S.A./ A.C.G.I.H.) Acetic acid: VLV (TWA) =25mg/m³ (10ppm)
- Acetic acid: VLV (STEL) =37mg/m³ (15ppm)

Surveillance procedures

Measure the concentration in the atmosphere. Personal protective equipment

-Respiratory protection

in the event of insufficient ventilation:
Respiratory protective device with a gas filter.

-Hand protection

Protective gloves made of rubber.

-Eye protection

Safety spectacles.

Collective emergency equipment

Eye fountain.

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE

- Physical state Thixotropic paste
- Colour translucent or pigmented.
- Odour of vinegar. pH
- Not applicable

Specific temperatures

Decomposition temperature > 200°C.

Flammability characteristics

-Flash point >150°C (closed cup, according to method Afnor T 60103).

Oxidizing properties Non oxidizing material according to EEC criteria.

Specific gravity Approx. 1040 kg/m³ at 25°C



NATIONAL ADHESIVE DISTRIBUTORS

CK 2000/063562/23 VAT No.: 4370194633

Head Office:
Phone: (031) 464 0273
93 Goodwood Road
Mahogany Ridge
Durban, 3608

Fax: (031) 464 0107
PO Box 28089
Malvern
4055

JHB Branch:
Phone: (011) 021 4177
Unit 6, Hambleton Park
98 Richards Drive, Halfway House
Midrand, JHB, 1686

CPT Branch:
Phone: (021) 801 4258
Unit B19, Icon Park
Fourie Street, Brackenfell
Cape, 7560

Fax: 086 544 8866/
086 544 8877
PO Box 8599
Halfway House
Midrand, 1685

Fax: 086 547 5373/
086 527 1045
PO Box 761
Brackenfell
7561

Virginia, USA:
Phone: (+1) 571 340 4478
8280 Willow Oaks
Corporate Drive
Suite 600
Fairfax, VA, 22031

Solubility

- in water
- in organic solvents

Practically insoluble.

Insoluble in:

- acetone
 - alcohol (ethanol)
- Dispersible (partial solubilisation) in:
- petrol.
 - white-spirit.
 - aromatic hydrocarbons (toluene, xylene).
 - chlorinated solvents

10. STABILITY AND REACTIVITY:

Stability

Stable at room temperature provided it is not on contact with air.
Vulcanises at room temperature on contact with moisture in the air.

Hazardous reactions

No dangerous reactions known under normal conditions of use.
See technical data sheet.

-Conditions to avoid

During Vulcanisation, acetic acid is released.
(quantity potentially released: <3% of product weight).

- Hazardous decomposition products

On combustion forms:
(Carbon oxides (CO + CO₂)).
Amorphous silica

11. TOXICOLOGICAL INFORMATION:

Acute toxicity

(Acetic acid).
LC 50 inhalation (Mouse) / 1h: 14 mg/l.
(Published data)

Local effects

Repeated or prolonged contact may cause slight irritation to the skin.

May cause slight temporary irritation to ocular mucous membranes.

Sensitisation

No information available.

Specific effects

No information available.

-Mutagenicity



NATIONAL ADHESIVE DISTRIBUTORS

CK 2000/063562/23 VAT No.: 4370194633

Head Office: Phone: (031) 464 0273
93 Goodwood Road
Mahogany Ridge
Durban, 3608
Fax: (031) 464 0107
PO Box 28089
Malvern
4055

JHB Branch: Phone: (011) 021 4177
Unit 6, Hambleton Park
98 Richards Drive, Halfway House
Midrand, JHB, 1686

CPT Branch: Phone: (021) 801 4258
Unit B19, Icon Park
Fourie Street, Brackenfell
Cape, 7560

Fax: 086 544 8866/
086 544 8877
PO Box 8599
Halfway House
Midrand, 1685

Fax: 086 547 5373/
086 527 1045
PO Box 761
Brackenfell
7561

Virginia, USA: Phone: (+1) 571 340 4478
8280 Willow Oaks
Corporate Drive
Suite 600
Fairfax, VA, 22031

Further information

At high concentrations, the vapours can be irritating to the respiratory System.

12. ECOLOGICAL INFORMATION:

MOBILITY

Precipitation

Expected behavior of the product

BIODEGRADABILITY

-Ultimate aerobic biodegradability

BIOACCUMULATION

Bioconcentration factor.

ECOTOXICITY

Effects on the aquatic environment

Slightly soluble product, readily forms deposits.

Ultimate destination of the product: Soil and Sediment.

Not biodegradable

Not bioaccumulable.

Acetic acid:

EC 50 (Daphnia: Daphnia magna) 24 h: 150 mg/l.

LC 50 (Fish: Pimephales promelas) / 96h: 88mg/l.

13. DISPOSAL CONSIDERATIONS:

WASTE FROM RESIDUES

Destruction / Disposal

CONTAMINATED PACKAGING

Decontamination / cleaning

Destruction / Disposal

Dispose of at a licensed waste collection point.

Separate the different packaging components and treat them separately:

Incinerate plastic packaging at a licensed installation.

Entrust the uncontaminated packaging to a licensed waste contractor.

Following decontamination, re-use or recycle metal packaging.



NATIONAL ADHESIVE DISTRIBUTORS

CK 2000/063562/23 VAT No.: 4370194633

Head Office: Phone: (031) 464 0273
93 Goodwood Road
Mahogany Ridge
Durban, 3608
Fax: (031) 464 0107
PO Box 28089
Malvern
4055

JHB Branch: Phone: (011) 021 4177
Unit 6, Hambleton Park
98 Richards Drive, Halfway House
Midrand, JHB, 1686

CPT Branch: Phone: (021) 801 4258
Unit B19, Icon Park
Fourie Street, Brackenfell
Cape, 7560

Fax: 086 544 8866/
086 544 8877
PO Box 8599
Halfway House
Midrand, 1685
Fax: 086 547 5373/
086 527 1045
PO Box 761
Brackenfell
7561

Virginia, USA: Phone: (+1) 571 340 4478
8280 Willow Oaks
Corporate Drive
Suite 600
Fairfax, VA, 22031

Disposable containers:

Incinerate at a licensed installation.

The user's attention is drawn to the possible existence of local

Regulations regarding disposal.

NOTE

14. TRANSPORT INFORMATION:

INTERNAL REGULATIONS

Land

-Rail/road (RID/ADR) NOT restricted

Sea (IMO/IMDG) NOT restricted

Air (ICAO-IATA) NOT restricted

OTHER REGULATIONS

-France: Rail/road (RID? ADR) NOT restricted

NOTE

The above regulatory prescriptions are those valid on the date of Publication of this sheet. Given the possible evolution of transport regulations for hazardous Materials, it would be advisable to check their validity with your sales Office.

15. REGULATORY INFORMATION:

LABELLING

EEC regulations Mandatory labelling (self-classification) of hazardous preparations:

NOT applicable.

NOTE

The regulatory information given above only indicates the principal Regulations specifically applicable to the product described in the

Safety Data Sheet. The user's attention is drawn to the possible Existence of additional provisions which complete these regulations.

Refer to all applicable national, international and local regulations or



NATIONAL ADHESIVE DISTRIBUTORS

CK 2000/063562/23 VAT No.: 4370194633

Head Office:
Phone: (031) 464 0273
93 Goodwood Road
Mahogany Ridge
Durban, 3608

Fax: (031) 464 0107
PO Box 28089
Malvern
4055

JHB Branch:
Phone: (011) 021 4177
Unit 6, Hambleton Park
98 Richards Drive, Halfway House
Midrand, JHB, 1686

CPT Branch:
Phone: (021) 801 4258
Unit B19, Icon Park
Fourie Street, Brackenfell
Cape, 7560

Fax: 086 544 8866/
086 544 8877
PO Box 8599
Halfway House
Midrand, 1685

Fax: 086 547 5373/
086 527 1045
PO Box 761
Brackenfell
7561

Virginia, USA:
Phone: (+1) 571 340 4478
8280 Willow Oaks
Corporate Drive
Suite 600
Fairfax, VA, 22031

Provisions.

16. OTHER INFORMATION:

Uses

-Recommended uses

Used for making joints, sealing and gluing.

(For further information, refer to the product technical data sheet).

-Prohibited uses

This product is only intended for industrial use.

- European inventory (EINECS, ELINCS)

These polymers are not concerned by the EINCS inventory.

The corresponding monomers are registered in the EINECS Inventory.

All the other constituents of this preparation are registered in the EINECS inventory.

-American inventory (TSCA)

All the components of this preparation are registered in the TSCA inventory.

All the information of Material Safety Data Sheet is provided on the basis in good faith, and is believed to be trustworthy but is for reference only. National Adhesive Distributors cc cannot accept any liability for the results whatsoever arising from the use of National Adhesive Distributors products due that the utilization of these products is simply out of our control. The users are responsible for selecting the suitability of the products and methods of use.

REVISED JAN 2020